

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	12110	mode\$1 near3 node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 13:40
S3	52	S1 same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:14
S5	292	(715/763).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:45
S4	1	("5987246").PN.	USPAT	OR	OFF	2006/01/10 15:45
S2	203524	(numeric\$5 or arithmetic\$5 or add\$2 or addition\$1 or subtract\$5 or multipl\$5 or divi\$5) near3 function\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 12:42
S8	9	S7 with subset\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 12:45
S7	1888	S6 with node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 12:54
S10	206	S7 with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:20
S11	1	("6138123").PN.	USPAT	OR	OFF	2006/01/13 13:21
S14	7696559	(numeric\$5 or arithmetic\$5 or add\$2 or addition\$1 or subtract\$5 or multipl\$5 or divi\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:23

S15	15451	configur\$5 near3 node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:24
S17	455	S16 same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:25
S9	38	S7 with portion\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:26
S19	15	S17 same portion\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:27
S18	3	S17 same subset\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:28
S20	35367	subset\$1 with (data or value\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:29
S21	4715	S14 with S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:30
S24	1	("6732111").PN.	USPAT	OR	OFF	2006/01/13 13:35
S23	30	S22 same (user\$1 or input\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:35
S12	1	S11 and input\$1	USPAT	OR	OFF	2006/01/13 13:36

S22	180	S21 same node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:38
S16	1747	S14 with S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:45
S28	29	S16 and ("717").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:50
S27	29	S16 and ("715").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 13:50
S29	1	("6023714").PN.	USPAT	OR	OFF	2006/01/13 15:09
S30	1	("6031453").PN.	USPAT	OR	OFF	2006/01/13 15:14
S31	1	("5412400").PN.	USPAT	OR	OFF	2006/01/13 15:46
S32	1	("6023714").PN.	USPAT	OR	OFF	2006/01/13 17:00
L1	18517	subset\$1 near4 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 09:58
S6	203802	(numeric\$5 or arithmetic\$5 or add\$2 or addition\$1 or subtract\$5 or multipl\$5 or divi\$5) near3 function\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 09:59
L3	2057	1 with 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 09:59
L7	1	5 and subset\$1	USPAT	OR	OFF	2006/01/21 10:09
L6	8658	1 and subset\$1	USPAT	OR	OFF	2006/01/21 10:09
L5	1	("5301301").PN.	USPAT	OR	OFF	2006/01/21 10:09

L8	29	4 with (user\$1 or input\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 10:15
L11	2	4 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 10:16
L10	1	4 and 9	USPAT	OR	OFF	2006/01/21 10:16
L9	420	((715/763) or (715/967)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 10:16
L13	1	4 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 10:17
L14	391255	(graphic\$5 or virtual\$5 or icon\$5 or visual\$5).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 10:18
L15	20	4 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 10:21
L16	4	3 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 10:22
L18	1	("4933878").PN.	USPAT	OR	OFF	2006/01/21 10:32
L17	20	3 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 10:32

L4	215	3 with (perform\$5 or calculat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 11:48
L21	0	9 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 11:50
L19	406896	(perform\$5 or calculat\$5) near4 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 11:55
L23	274465	(perform\$5) near4 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 11:57
L24	518	23 with (sam\$1 near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 11:58
L20	682	19 with (sam\$1 near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 11:58
L25	23904	("715").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 11:59
L22	5	12 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 11:59

L12	10220	("717").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 11:59
L26	11	25 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 12:02
L27	0	(different near2 numerical) with performed with (sam\$1 near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 12:03
L2	7710127	(numeric\$5 or arithmetic\$5 or add\$2 or addition\$1 or subtract\$5 or multipl\$5 or divi\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 12:04
L29	115526	different near2 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 12:05
L28	3	(different near2 numerical) with (sam\$1 near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 12:06
L30	312	29 with (sam\$1 near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 12:37
L31	1	("5161333").PN.	USPAT	OR	OFF	2006/01/21 12:38
L32	1	("5163133").PN.	USPAT	OR	OFF	2006/01/21 12:45
L33	42	(first adj output) near4 (first adj function\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/21 12:46